

Updated: May 2024

## THE ALL-ELECTRIC LEXUS RZ

- Lexus's all-new battery electric SUV, constructed on a dedicated BEV platform
- Introduction of advanced technologies that enhance the Lexus Driving Signature handling and performance
- RZ 450e with Lexus-first e-Axles with Direct4 all-wheel drive torque control
- RZ 300e with front-wheel drive, introduced spring 2024
- Lexus Next Chapter design realises the opportunities of a BEV, including a new Lexus spindle body
- Long-life 71.4kWh lithium-ion battery expected to retain at least 90 per cent of its capacity after 10 years of driving
- Evolution of the Lexus *tazuna* concept for a fully focused driver's cockpit
- New technologies enhance life on board, including (according to model grade) heat reflecting/insulating panoramic roof, radiant heaters and new Mark Levinson Premium Surround Sound system
- Full suite of safety and driver assistance features, including Lexus's exclusive Safe Exit Assist which prevents door opening into the path of vehicles and cyclists approaching from the rear

## INTRODUCTION

The RZ is Lexus's first model to be developed as a BEV from the outset. The intention is not simply to deliver the benefits of all-electric driving, but to capture the potential of BEVs to reinvent the driving experience. To help achieve this, the car has undergone extensive track testing and refinement at the Shimoyama Centre in Japan, soon to become Lexus's new global headquarters.

It is not a vehicle that simply adopts battery electric power in place of a conventional engine; it goes much further to realise the exciting potential of new technologies that enhance performance and driving pleasure, true to the Lexus Electrified philosophy.

Chief Engineer Takashi Watanabe said: "The RZ has been developed with the aim of creating a uniquely Lexus BEV that feels secure to ride in, is pleasing to the touch and is exhilarating to drive.

“Our vision is to use electrification technology as a means to enhance fundamental vehicle performance, so that we can continue to pursue driving pleasure for all future generations.”

First and foremost, the RZ is a Lexus, retaining all the fine qualities of performance and craftsmanship associated with the brand. The company has leveraged its wealth of vehicle electrification experience to deliver the benefits of a BEV with the essential refinement and driving experience that are unique to its brand.

The RZ also marks the first application of Lexus’s new e-Axles. In the RZ 450e, these compact motor units are used front and rear and work in conjunction with new Direct4 all-wheel electronic drive torque control. High-quality handling and responsiveness are secured with a dedicated new electric vehicle platform, which brings excellent body rigidity, a low centre of gravity and a long wheelbase. A powerful lithium-ion battery unit is fully integrated in the chassis, beneath the cabin floor, its quality finely controlled to ensure performance is maintained long-term.

The platform and battery electric drivetrain also open up new freedoms in design. The exterior reinterprets the signature Lexus spindle shape in the vehicle’s body, while the interior is a light and open space that is both simple and luxurious, expressing Lexus *omotenashi* hospitality and *takumi* craftsmanship.

The RZ will help Lexus in its progress towards carbon neutrality and a sustainable mobility society. Here, the focus is not just on the car’s performance on the road but its entire lifecycle, from parts procurement, manufacturing and ownership through to eventual disposal. Already new methods have been adopted at Lexus’s Motomachi factory, the RZ production centre, for the processes that produce the highest emissions.

Looking beyond its market introduction, the RZ is set to offer an enhanced driving experience with an optional by-wire steering system. Lexus’s new One Motion Grip, currently under development, will provide easier and even more precise steering without sacrificing important feedback from the road surface.

## EXTERIOR DESIGN

- ‘Seamless e-Motion’ design expresses the performance, driving pleasure and refinement of an all-electric vehicle
- Lexus signature spindle grille shape deeply integrated into the complete frontal design
- Exterior dimensions position the RZ between the Lexus NX and RX models
- Aerodynamic design details help optimise the RZ’s energy efficiency

Building a car on an all-new battery electric platform opened up new design opportunities and the freedom to create a look that sets the RZ apart from other vehicles. At the same time, its styling is an evolution of Lexus “Next Chapter” design, embracing themes that can be seen in other new Lexus models, such as the RX.

The basic concept was seamless, emotional design inspired by the experience of driving a BEV. The RZ is instantly recognisable as both a Lexus and a BEV, with proportions that reflect its dynamic character.

The new, dedicated BEV platform and electric powertrain give the RZ a lower centre of gravity and allow for a lower nose profile. This is the starting point for a silhouette that flows through a smooth cabin section to a rearward peak in the roofline, giving more head room (67mm) for rear seat passengers. A sleek horizontal door axis accentuates the long wheelbase and the large-diameter 18 and 20-inch wheels are pushed out to the corners, expressing a wide stance and the low centre of gravity.

The RZ measures 4,805mm long, with a 2,850mm wheelbase and short overhangs – 995mm front, 960mm rear. Overall height is 1,635mm and the width is 1,895mm (excluding door mirrors). In terms of external dimensions and footprint, the model sits between Lexus’s mid-size NX and large RX SUV models.

In side view, the design creates volume around the front wheels, illustrating the power in the front axle, while the rear wheels are pushed back to give a “torqueful” look. The doors have contrasting forms and striking surface treatments, creating a seamless visual sweep from front to rear.

As with the latest generation RX, the design sees the familiar spindle grille shape more deeply integrated into the complete frontal design, generating a stronger three-dimensional effect. As the electric powertrain requires less cooling airflow than a combustion engine, the conventional grille has been dispensed with. The area is instead finished in the car’s body

colour, while the position of the slim headlamps and the blacking out of the bumper corners add emphasis to the central spindle shape, establishing a distinctive Lexus BEV look.

The new-design headlight units are unified with the spindle body. Ultra-slim, they accentuate the Lexus L-motif of the daytime running lights, while the principal headlight lamps and turn indicators are made less prominent.

The rear presents a cool, high-tech look with a split roof spoiler that extends the design's rearward flow and contributes to the car's stable performance.

The elongated LED light bar across the width of the car has become a hallmark feature of Lexus design. Here it wraps around the muscular rear quarters with a geometric pattern and has an exceptionally thin centre section that throws the new LEXUS script on the back door into sharp relief. The rear track is widened to 1,627mm (+15mm vs front track), further emphasising the car's planted look.

### **Aerodynamic features**

Aerodynamic measures were a key focus in achieving a low drag coefficient (0.263Cd) that would contribute to the car's energy efficiency.

The cabin shape has been optimised to gain smooth airflow on the outside and comfort inside. The belt moulding sits flush with the bodywork to help regulate the flow of air and keep the car stable. The rear spoiler design contributes to handling and stability in straight-line driving and cross-winds without producing drag. The back door is also shaped to adjust the angle of airflow from the roof, reducing drag and contributing to the driver's sense of the car being in firm contact with the road.

A fully covered under floor is another drag-reducing factor, the front section with a dimpled surface that helps maintain stability at high speeds and the rear featuring fins that direct airflow rearwards from the wheels. The small front grille aperture features shutters that close automatically when cooling air flow into the motor compartment isn't required.

### **New colour options**

The RZ's choice of exterior finishes includes new Aether Blue metallic, inspired by blue skies, and striking Sonic Copper. It's also available in Sonic White, Sonic Grey, Sonic Platinum and Graphite Black. The sonic shades use an advanced paint technology in which pigment particles and metal flakes are highly compressed into micro-thin layers, contributing to a deeper, more lustrous finish and stronger light and shade contrasts.

The RZ Premium Plus and Takumi are available in a new bi-tone design which features a contrast black finish that extends from the front of the car, over the bonnet, pillars, and roof.

### **Wheels and tyres**

The RZ is offered with two wheel sizes – 18 and 20-inch. The 18-inch wheels have a standard dark grey metallic finish but are also available as an accessory option in all-black. The 20-inch wheels are high gloss or contrast black/machined, according to grade specification; they are optionally available for the Premium grade models. The 18-inch wheels are aerodynamically styled with aero-ventilating flaps on the face of each spoke.

Driving stability is supported by using different size tyres at the front and rear: 235/60R18 front and 255/55R18 rear for 18-inch wheels and 235/50R20 front and 255/45R20 rear for 20-inch wheels.

### **DRIVING PERFORMANCE**

- RZ performance delivers the Lexus Driving Signature, characterised by Confidence, Control and Comfort
- Lexus-first combination of e-Axles and Direct4 all-wheel drive torque control
- Highly rigid body founded on new e-TNGA electric vehicle platform supports precise, prompt chassis response
- One Motion Grip steer-by-wire system to be introduced on the RZ in 2025

### **The Lexus Driving Signature**

Securing the Lexus Driving Signature was the primary goal in the development of the RZ's dynamic performance and strengthening the car's core characteristics – the “three Cs” of confidence, control and comfort in all driving situations. Going further, the benefits of BEV-specific qualities, such as fast response and high precision were maximised. To achieve this, Lexus has been able to call on its years of pioneering experience in electrified vehicle technologies, going back to the RX 400h hybrid electric model of 2004.

Lexus has ensured the vehicle always responds as the driver intends, making driving both comfortable and exhilarating, even for people who are not used to driving a BEV. The result is the addition of a BEV dimension to the Lexus Driving Signature – the refined, linear and reassuring responsiveness and rewarding feeling of control and connection with the vehicle that define the driving character of new Lexus vehicles.

This is true to the performance concept of “The Natural” adopted by chief engineer Takashi Watanabe and his team during the car's development. They focused on driving quality with a

natural feel, the car moving faithfully to the driver's inputs through the (future) optional One Motion Grip steer-by-wire system and precise Direct4 all-wheel drive control. Special attention was paid to giving the driver an excellent sightline and feedback and ensuring precise vehicle posture control, at all times.

### **Body structure**

The RZ's BEV-specific platform provides an inherently strong foundation on which to construct a vehicle with excellent body rigidity. Advanced techniques have been applied, including laser peening and laser screw welding for the rocker panels and joint reinforcement to suppress or prevent distortion. Laser welding allows a thicker rocker panel to be used, eliminating the cut-away sections required for spot-welding. Elsewhere, extensive use is made of structural adhesive (1.79m in total), laser screw welding and short-pitch welding (at an unprecedented degree) to increase the jointing area and gain higher rigidity.

High-rigidity foam is used in each corner of the back door aperture to strengthen an area that is particularly susceptible to deformation. This also reduces noise and vibration. The rear of the car has a double ring-shaped frame, which helps the car settle after cornering or changing lanes.

At the front, braces and thicker support pillars for the radiator suppress lateral deformation. Rigidity is further enhanced by suspension tower braces and front and rear performance dampers.

The driver witnesses the benefits of the car's rigid structure in straight-line stability and precise handling and steering response, contributing to the control and confidence elements of the Lexus Driving Signature.

### **Weight-saving construction**

Reinforcing the car's structure increases weight, which in turn has an impact on power consumption and dynamic performance. To counter this, Lexus has used materials and methods to reduce the weight of the frame, helping maintain the driving range without compromising body rigidity. Priority was given to reducing the mass of parts located higher in the vehicle, to preserve a low centre of gravity and suppress body roll when cornering.

For example, lightweight 1470MPa steel is used for the centre roof reinforcement and a patchwork material for strengthening the front and centre pillar. The bonnet is made of aluminium and the door and wheel arch mouldings and back door garnish are light, moulded resin which uses less material but remains rigid and light.

## **Noise and vibration control**

Although the battery electric drivetrain produces less noise than one with an internal combustion engine, its quiet performance makes noise from the road and the car's surroundings more noticeable. The RZ's engineers and designers made it a priority to ensure the cabin environment was appropriately calm and quiet, applying a three-part strategy: controlling the noise; preventing it from entering the cabin; and paying particular attention to noise experienced in the rear seats.

The measures to reduce noise and vibration include an all-round seal for the bonnet, which prevents air flow escaping through gaps, reducing disturbance and sound. Inside the RZ, the thickness of the dashboard inner silencer has been gauged to reduce the gap between peripheral parts and achieve better noise insulation and absorption.

The large roof area is a primary source of noise when driving. To address this, a vibration-damping sheet has been added that makes the roof structure more rigid, with a significant impact on NV levels. Other measures include foam coating at the base of the front and centre pillars, acoustic glass in the front and rear doors and the placement of liners and insulation material in the cowl, dashboard, bonnet, wings and wheel arches.

The RZ has a new version of Active Sound Control which uses surround sound to introduce noise-cancelling frequencies into the cabin, via the audio speakers.

## **Efficient and compact electric e-Axle**

The RZ is the first production model to feature Lexus's new e-Axle, designed for use in BEVs. This is a compact, modular package which consists of a motor, gearing and a PCU (Power Control Unit), located between the driven wheels.

The RZ 450e uses both front and rear e-Axles, which work in conjunction with the Direct4 all-wheel drive control system (details below) to adjust the vehicle's posture, traction and power distribution, according to the driving conditions. The e-Axles are quiet, efficient and deliver precise power. The RZ 300e features a front e-Axle with a conventional rear axle system mounted on a subframe.

The front motor produces 150kW and the rear 80kW; together in the RZ 450e they deliver 230kW maximum output. The RZ achieves excellent energy efficiency, with consumption rated at 3.4 (18in wheels, min. weight) or 3.7 miles (20in wheels, max. weight) per kWh for the RZ 450e in the combined WLTP cycle; respective figures for the RZ 300e are 3.8 or 4.2.

Their compact dimensions –short front e-Axle and low rear e-Axle - contribute to the car’s packaging, helping gain more room in the cabin and a low load compartment floor, and provide more space to accommodate the EV battery, low down beneath the vehicle floor.

**Direct4 all-wheel drive control**

Direct4, an exclusive Lexus technology, is an intelligent system that constantly and seamlessly balances the drive torque between the RZ 450e’s front and rear axles. The result is stress-free performance and stable handling, with intuitive operation strengthening the sense of connection between driver and machine.

The system uses ECU (Engine Control Unit) sensors to collect, evaluate and react to a range of factors, including vehicle speed, steering angle and G forces. From these inputs, it calculates and immediately applies the appropriate drive torque to each e-Axle to maximise grip and traction suitable for the road surface. The front/rear torque bias can be adjusted in milliseconds – faster than any mechanical system.

Its benefits are experienced in different driving scenarios: -

- Starting off – drive force is securely delivered to all four wheels
- Straight line driving – vehicle remains steady at all times
- Entering a bend – change of direction is smooth
- Steering through a bend – steering provides good feedback
- Accelerating out of a bend – easy for the driver to trace a faithful line
- Exiting a bend – confident, direct acceleration

The balance of front/rear drive torque is adjusted to achieve ideal performance. Details of the distribution in different driving situations are shown in the table below.

Driving situation	Normal torque distribution	Potential torque distribution	Aim
Starting off	60:40	20:80	Drive torque transferred to the rear to enhance traction and stability.
Straight-line driving	70:30	40:60	Torque distributed to optimise straight-line stability and improve efficiency.
Turning	75:25	20:80	More torque directed to the rear wheels to achieve better traction in low-grip conditions and confident line-tracing and good acceleration when exiting a bend.

## **BATTERY ELECTRIC POWERTRAIN**

In developing a new battery electric powertrain, Lexus sought to strike a practical balance between performance and efficiency. It was able to apply multiple technology advantages from its experience of developing successful hybrid electric vehicles over the past two decades. Key to this strategy was adoption of an optimally sized battery that delivers the best balance between driving range, efficiency, cost, and size/packaging.

### **Battery electric powertrain**

Lexus has designed a compact, high-voltage system circuit in which a transaxle and inverter are contained within the e-Axle units. An Energy Storage Unit (ESU) integrates the charging, power supply and power distribution functions. Noise filters have been added to the circuit to enhance electromagnetic compatibility; this helps avoid interference with the vehicle's audio system.

The permanent magnet motors have a high power density and 17,000rpm rotation speed. The inverter achieves high volumetric efficiency while allowing for a high current output. Its compact size – helped by a frame-style construction – allows it to be integrated in the transaxle. The motors are located on a symmetrical three-point aluminium mounting system giving balanced support that contributes to comfort, handling, stability and quiet performance.

Using grille shutters in front of the radiator reduces air resistance and gives high cooling performance when required; these automatically close when not required. Ducts in the front grille direct air flow to the radiator, even when the shutters are closed. Cooling performance is provided a single, large-diameter fan.

### **Lithium-ion battery**

The battery stack is positioned entirely beneath the cabin floor and forms a structural part of the vehicle's frame. This contributes to the vehicle's rigidity and its low centre of gravity, while the unit's slim profile also means there is no intrusion in cabin or load compartment space. The battery is contained in a sealed, reinforced structure to protect it in the event of contact with the road surface or a collision.

The unit comprises 96 cells with a 71.4kWh gross capacity. Quality, durability and reliability are reflected in Lexus guaranteeing that the battery will retain at least 70 per cent of its capacity after 10 years. Lexus is confident however, given its long experience in battery technologies, that actual capacity at the point should be at least 90 per cent.

The official WLTP combined cycle driving range for the RZ 300e – from full battery to depleted charge – is 295 – 297 miles with 18-inch wheels and 267 – 268 miles with 20-inch wheels. The RZ 450e's respective figures are 272 miles and 252 miles. As is the case for any battery electric vehicle, real-world performance may differ from the reference WLTP range. The real-world distance that the vehicle travels will vary based on individual factors such as driving style and speed, battery state of charge and temperature, use of climate control and type of tyres fitted to the vehicle.

Importantly, for drivers whose priority is to maximise the vehicle range, the RZ can be operated in Range mode (see Drive modes section below for details).

Furthermore, the evaluation of the remaining range as shown on the driver's instrument display integrates several factors to ensure customers peace of mind. Besides the remaining charge of the battery, it also considers previous electricity consumption efficiency, actual driving conditions and current air conditioning usage. Also, the display will show the remaining range as 0 miles from when the battery's state of charge reaches approximately 8 per cent<sup>1</sup>.

Efficient cooling is key to battery performance and durability. A long-life, high-resistance LLC coolant is used for both the lithium-ion battery and the BEV system. This controls the temperature in a highly efficient system that helps maintain stable battery output even under high loads, such as high-speed cruising or repeated rapid charging. The battery cooling and the car's air conditioning system work co-operatively, which enhances power performance, ensures cabin comfort and supports longer battery life. The unit is cooled from the bottom with a uniform flow path size for the refrigerant, giving even better cooling performance. The coolant is contained in separate chamber, so there is no direct contact with the battery in the event of a leak.

When operating in colder temperatures, a battery heater can be activated when charging the vehicle. This uses the heater in the air conditioning system and comes into play automatically when using a DC charger.

### **Battery charging**

The RZ is equipped with a compact and lightweight 11kW on-board charger. Details of estimated charging times using different power supplies can be found at [www.lexus.co.uk/new-casr/rz](http://www.lexus.co.uk/new-casr/rz).

---

<sup>1</sup>The buffer below 0 miles on the display is included in the WLTP calculation.

Using the Lexus Link app, owners can set a charging time in advance to make use of off-peak energy and can programme a repeat charging schedule for convenience.

### **Acceleration**

The RZ delivers a strong, continuous acceleration feel in the high throttle range and speed controllability in the low range. Using a battery electric system allows for a slip suppression function: a motor ECU in the e-Axles monitors wheel speed and detects any slip before the vehicle's traction control operates, initiating drive torque control and reducing initial wheelspin.

When using Sport mode, Dynamic G Control provides a continuous acceleration feel, balancing the smooth and strong increase in speed with controllability.

### **Four-level deceleration**

The driver can choose from four deceleration strengths to gain different degrees of slowing performance, selected using paddle shift controls. Deceleration is stronger when the car is in Sport mode, and on inclines, promoting safe, confident driving.

### **Acceleration Sound Control**

The driver's sense of connection with the car is enhanced by Acceleration Sound Control. This generates sound that reflects the vehicle's state and behaviour, transmitted via the audio speakers. A constant tone is modulated to reflect the car's drive mode and shift position and the driver's use of the accelerator. The system can be switched off if the driver prefers.

### **Four selectable drive modes, including exclusive Range mode**

The RZ's performance and driving character can be adjusted with selectable drive modes. In Normal mode, an optimal balance of performance and power consumption is provided to suit a wide range of driving situations. In Eco mode, power is preserved by generating a lesser amount of drive torque in response to accelerator inputs and suppressing the air conditioning. In Sport mode there is stronger steering feel and accelerator response is sharpened. Drivers can set their preferred powertrain, chassis and air conditioning modes using a Custom mode, accessed via the multimedia touchscreen.

In order to meet the expectations of customers whose first priority is to maximise the real-world range of RZ, the car is also equipped with an exclusive Range mode which maximises the driving range by reducing power consumption, restricting power output and vehicle speed and turning the air conditioning off.

When Range mode is selected, the balance of Direct4 front/rear drive torque distribution is also optimised for power efficiency. When driving in the low torque range, only the rear motor is used; the front motor is brought into play as the torque level increases. If any wheelspin is detected, normal AWD operation resumes.

### **Braking system and Vehicle Braking Posture Control**

The RZ uses an AHB-G braking system (Active Hydraulic Booster) which delivers pressure on demand via a high-performance pump motor. Front and rear brakeforce distribution is controlled by independent front and rear pressure regulators, giving comfortable drivability and stable posture under braking.

Vehicle Braking Posture Control varies the balance of front and rear braking according to the driver's use of the brake pedal and vertical movement of the suspension. During initial braking, in low deceleration range, the vehicle is made to pitch so the driver can feel the deceleration effect. As the driver puts more pressure on the brakes, more brakeforce is distributed rearwards so body lift over the rear wheels is suppressed. This provides linear feel with clear initial braking effectiveness and giving the driver a strong sense of the car's secure contact with the road surface.

### **Suspension**

The suspension system has been designed to contribute towards delivery of the Lexus Driving Signature, helping generate a natural dialogue between driver and car.

The fundamental dynamic benefits of the BEV platform – high rigidity, a low centre of gravity, a dynamically balanced chassis and low yaw inertia moment – are matched by suspension which contributes to faithful line-tracing, natural and stable vehicle posture and a comfortable ride. Shock absorber characteristics are tuned to reduce unpleasant vibrations and large, undulating vehicle movements.

The front suspension uses a MacPherson strut-type design. At the rear, the set-up features double wishbones with trailing arms, with geometry precisely calculated to accommodate the highly responsive acceleration of a BEV. The shocks contain new frequency-sensitive pistons which vary the damping force according to frequencies transmitted by the road surface – softer in the high frequency range and harder in the lower.

### **One Motion Grip steer-by-wire**

At the time of launch, the RZ is equipped with a conventional rack-assisted electric power steering system. This features an intermediate shaft that absorbs vibrations to maintain a

smooth feel. The three-spoke steering wheel has variations in its cross section to provide a pleasing, snug grip.

Furthermore, the RZ is set to be the first model to use Lexus's new One Motion Grip steer-by-wire system, currently under development and planned for market introduction as an option in 2025.

Instead of the conventional mechanical connection between the steering wheel and the front axle via the steering column, this communicates the driver's steering inputs to the wheels electronically. The result is instant response and more precise steering control.

The driver will also notice less steering wheel sway when travelling over rough roads; stable control and correction in strong crosswinds; and stable straight-line performance on angled surfaces.

Steering feel is important for driver confidence and control. Lexus engineers have ensured the system still provides feel and feedback, maintaining a strong connection between driver and car. There is also fail-safe provision of processors and an emergency power supply that automatically engages should the system lose its primary power supply.

One Motion Grip uses a new-look steering wheel, with a butterfly shape like the controls found in an aircraft cockpit. Its design was refined with input from Lexus's *takumi* drivers, who studied every element to ensure the driver experiences optimum grip, feel and feedback.

This design is appropriate as the technology requires less steering effort from the driver, with no need for hand-over-hand turns. This makes for smooth lane-changing on the motorway, a more comfortable drive on winding roads and easier manoeuvring in tight spaces, with the steering gear ratio automatically adjusting in line with the car's speed. The steering characteristics also adjust according to the drive mode selected, with a sharper, more weighted feel in Sport mode.

Feedback from the system blocks out unwanted tyre and brake vibrations but communicates an accurate feel of the road surface.

The new-shape steering wheel has no top section, so the driver gains a more open view of the instrument binnacle and road ahead. Lexus's designers took advantage of this to set the meters higher and further away than would be possible with a conventional steering wheel, minimising the driver's need to adjust their sightline. This takes the concept of the *tazuna* cockpit to a higher level, concentrating the driver's attention on the road. The design also gives the driver more leg room and makes it easier to get in and out of the car.

## **LIFE ON BOARD: HUMAN-CENTRED DESIGN AND TECHNOLOGIES**

- Driver's cockpit layout follows Lexus's *tazuna* concept principles, giving the driver fast, easy and intuitive control of the vehicle
- Customisable driver's instrument display
- New radiant heaters for front seat passengers
- New heat-shielding panoramic roof, dimmable at the touch of a switch

The RZ's cabin has an open, spacious and airy feel with a driver-focused cockpit developed according to the principles of Lexus's *tazuna* concept – a design approach successfully applied previously to the all-new NX and RX models. Lexus has introduced human-centred advanced technology features that enhance comfort, convenience and life on board, reinforcing the spirit of *omotenashi* hospitality.

### ***Tazuna* driver's cockpit**

The RZ's cockpit is an evolution of Lexus's *tazuna* concept, inspired by the way a rider can intuitively control a horse using just small adjustments of the reins. It brings together the driver's position at the wheel and a precise arrangement of meters, controls and displays to create a space where only small movements of the hand and eye are required to operate vehicle systems and access information. With the future introduction of One Motion Grip by-wire steering (detailed above), the benefits of the *tazuna* cockpit concept will be even more fully realised.

The layout of the controls and information sources – 14-inch centre multimedia display, meters, multi-information display and head-up display – helps keep the driver's attention on the road ahead. The layout and shape of the cockpit also guide the driver's line of vision forwards. With the One Motion Grip steer-by-wire system, the effect is heightened with the new-look steering wheel opening up the space in front of the driver.

The design and the driver's position at the wheel with a commanding view ahead reinforce the qualities of the Lexus Driving Signature – comfort, confidence and control at all times.

### **Bright and open cabin environment**

The open feel of the interior is enhanced by the instrument panel having a thinner construction and being set low, relative to the front passenger's seating position. Space has also been gained by moving the passenger airbag rearwards and adoption of a new air conditioning system with an integrated blower unit, located in the centre of the instrument panel.

The centre console has a slim and elegant upper section, incorporating a storage box with a lid that is hinged to open to the left or right, so is equally easy for the driver or front passenger to use. The unit also features cupholders, USB ports, a 12V power outlet and a wireless charging tray. The design provides further storage space beneath the console, big enough to hold a tissue box, a pair of shoes or owner's manual.

### **Interior colours and trims**

Three interior colour combinations are available, each creating a different ambience. Orage upholstery (a grey-blue shade) is matched with black trim and a Solis White covering for the interior door shoulders and armrests for a bright, clean and advanced look. Hazel seat coverings are combined with black trim in a luxurious and modern effect and the pairing of Greyscale upholstery and black trim provides cool monotone finish.

A new Tsuyasumi ornamentation is available for the console, with a charcoal finish with subtle shiny veining like a natural cinder block. The effect is created through the overlaying of numerous delicate layers, a process using advanced film technology, overseen by Lexus's *takumi* craftspeople.

### **Ambient lighting**

The cabin atmosphere is enhanced by an optional ambient lighting system with a spectrum of 64 colours, grouped in 14 different themes to create the right mood for the journey. The colour and brightness of each lamp can be adjusted using the settings screen in the centre display.

The RZ features a new In-ei illumination effect, which casts a pattern of light and shadow across the door panels, creating different effects as the surrounding light conditions change with the time of day.

### **Seating**

The seats feature Lexus's global architecture frame design and are upholstered with "deep-hung" seams to promote more comfortable support and posture on long journeys. The integrated heaters have been redesigned to operate across the entire seat, with temperature adjusted for the shoulders, back and upper thigh areas.

The rear seatbacks have a two-stage recline function. The outer rear seats are available with heaters with high and low temperature settings.

## **Sustainable Ultrasuede**

Ultrasuede upholstery is available for the new RZ Takumi, a sustainable suede-like material for the seats and upper door trims that is partly made from bio- and recycled materials. The other grades feature Tahara synthetic leather with a cloud-effect finish.

## ***Omotenashi* welcome display**

The driver's instrument display presents a full-screen *omotenashi* welcome, personalised to the driver. As the driver unlocks and enters the vehicle, they are welcomed by name (as registered with their smart key) and an animation sequence begins, showing the vehicle in silhouette. When the power button is pressed, animation graphics and sounds are co-ordinated across the meters, head-up display and centre display, guiding the driver's focus forwards.

A welcome lighting sequence illuminates the front door handles and cabin lighting as the driver approaches the car. When exiting, the lights remain for up to seven seconds if the driver remains close to the vehicle.

## **Customisable meters and multi-information display**

The meters in the instrument binnacle can be customised to suit the driver's preference; their appearance also automatically changes according to the drive mode selected. They are designed for clear and instant recognition, and on high grade models are presented in high definition.

There is a choice of three centre faces for the meter, which can be chosen via the centre display's customisation screen: power meter and surplus energy gauge; analogue speedometer; and digital speedometer. The surplus energy indicator gives the driver peace of mind, showing in real time the energy available, in relation to electric motor output and the level of regenerated energy.

The multi-information display content can be selected and adjusted using the touch-tracer switches on the steering wheel on high grade models; on other grades the standard steering wheel tabs and switches can be used.

## **Head-up display**

The head-up display (RZ Premium Plus and Takumi) is projected onto the base of the windscreen in the driver's straight-ahead view. Its position, layout and content can all be adjusted to suit personal preference. Three content versions are available: full, standard and minimum.

## **Switches and controls**

While the *tazuna* cockpit concept ensures the principal driving-related controls are positioned close at hand for the driver, those which are less important and less frequently used are now accessed using the central touchscreen. Physical buttons have been retained in the centre display for intuitive operation, including the audio on/off and air conditioning controls.

Another example of easy, intuitive control is touch-tracer switches on the steering wheel. First introduced in the all-new Lexus NX, these can be customised to operate the driver's preferred functions, such as drive mode, navigation and audio. When the driver touches the switch, its shape and function are shown on the head-up display, so the driver doesn't have to look down at the wheel to check. Although they work using electronic signals, they have a satisfying "click" feel to confirm operation.

## **Rotary shift selector**

The RZ's shift-by-wire system is operated using a new rotary shift selector on the centre console. The driver presses the control down and turns the tactile machined outer ring clockwise for drive and anti-clockwise for reverse; pressing the control down puts the vehicle in neutral. There are further switches on the console for "Park" and the electronic parking brake.

## **Heat-shielding, dimmable panoramic roof**

The dimmable panoramic roof (RZ Takumi) increases the feeling of space and light in the cabin, extending far back so that there is an open view for rear passengers, even when the rear seats are reclined (the roof is wider and 44mm longer than that featured on the Lexus NX). The glass has a low-e (low-emissive) coating that reflects infra-red radiation and reduces radiant heat on sunny days, while helping keep heat inside the cabin when the weather is cold.

The roof has an electric dimming function, which renders it opaque at the touch of a switch. As a result, there is less need to use the air conditioning system to maintain a comfortable temperature and there is no need for a retracting sunshade, which saves weight – factors which reduce the RZ's energy use and help maintain its driving range. Dispensing with a sunshade also helps provide more head room – as does shaping of the headlining to raise the ceiling height.

## **New air conditioning system**

The RZ uses a new, compact air conditioning unit with an integrated heater and blower. It features a heat pump system which uses heated coolant to warm the cabin in cold weather. This reduces the load placed on the vehicle's power supply, helping maximise the driving range. Its compact dimensions and central position beneath the instrument panel free up more leg room for the front seat passenger.

The Lexus Climate Concierge co-ordinates the air conditioning, seat heaters, heated steering wheel and (where fitted) radiant heaters to warm or cool the cabin to the desired temperature quickly and efficiently. Lexus' S-Flow control detects which seats are occupied and adjusts air conditioning performance accordingly, saving power.

Cabin air quality is maintained using nanoe X™ technology, which emits microscopic water particles containing hydroxy radicals in the air flow. These are effective in inhibiting viruses, bacteria, pollen and other allergens and can act against the spread of mould. They can also counter bad odours and stop moisture evaporation, helping keep occupants' hair and skin moisturised.

The air conditioning can be activated remotely using the Lexus Link smartphone app, so the cabin can be warmed or the screen defrosted ahead of making a journey. The app allows temperatures settings to be registered and for the demister, seat and steering wheel heaters to be switched on.

## **Radiant heaters**

New radiant heaters (RZ Premium Plus and Takumi) are positioned at knee-level in front of the driver and front passenger, beneath the steering column and lower instrument panel. Unlike convection heating, they use infrared radiation to heat solid objects directly in front of them. They also use around 8 per cent less energy.

Integrated into the Lexus Climate Concierge, they work in conjunction with the seat heaters and heated steering wheel to speed up warming of the cabin, feeling like a warm blanket around the legs. They operate silently and with no air draught. They have an automatic safeguard should anyone come into contact with them, automatically reducing the panel temperature to 43°C. As with the panoramic roof, they reduce the load on the air conditioning system and help preserve the car's driving range.

## **Load compartment**

Load compartment space is not compromised by the vehicle battery and nine litres have been gained by mounting the audio system's subwoofer within the back door. With all seats

in place, the area offers 522 litres; fold the rear seats down and the maximum volume is 1,451 litres, loaded to the ceiling. With the tonneau cover in place, there is room for two suitcases (one 110-litre and one 97-litre). Beneath the deck board there is a further 58 litres of space in a practically shaped, fully lined area, handy for storing the BEV charging cable.

Easy access is aided by a 740mm loading height and the availability of a power back door. Changes to the motor make the back door opening and closing sequence quicker and quieter; the opening angle can be pre-set to suit the location, for example to avoid hitting a low garage roof. On Premium grade models and above, a kick-sensor is provided for hands-free operation.

## **MULTIMEDIA, INFORMATION AND CONNECTIVITY**

- Faster, more intuitive Lexus Link multimedia system with 14-inch touchscreen
- Improved voice command control, including “Hey Lexus” on-board assistant
- Bespoke 13-speaker Mark Levinson Premium Surround Sound system

### **Multimedia system**

The RZ is equipped with the all-new Lexus Link multimedia platform, with faster, more intuitive operation and increased functions for connectivity, efficient journey planning and information.

The system includes an embedded navigation system with 3D-mapping of major city centres, plus “always on” cloud-based navigation, benefiting from up-to-the moment information on traffic events, accidents and road conditions. The voice recognition function understands and responds to conversational requests, is better able to detect commands when there is background noise and can respond to both the driver and front seat passenger. There is also a new “Hey Lexus” on-board assistant and smartphone integration is enabled via Apple CarPlay (wireless connection) and Android Auto.

The vehicle’s DCM (data communication module) allows functions to be conveniently updated or added over the air, without any interruption to the vehicle’s use.

### **14-inch touchscreen**

Information, entertainment, navigation, air conditioning and access to vehicle settings is via a 14-inch touchscreen. Mounted on the centre of the instrument panel, this also includes physical buttons for frequent functions including audio on/off and climate control temperature.

The screen presents an icon-based menu with sharp, colourful graphics in high definition. As well as touch operation, voice commands can be used: the Dynamic Voice Recognition is able to discern different voices and operate when there is background noise – for example, the audio doesn't have to be turned off.

### **On-board “Hey Lexus” assistant**

The “Hey Lexus” assistant can be used for multimedia commands and to adjust some vehicle functions, such as the air conditioning and opening or closing the windows. It can detect whether the commands come from the driver or front passenger.

### **My Setting**

The My Setting function allows customisation of the audio, navigation, driving position, cabin illumination, meter display and Lexus Safety System+ for up to three drivers/users. This can be accessed using the multimedia screen, or via a Bluetooth device. The vehicle will also recognise an individual driver when they use their registered smart key and automatically apply their chosen settings when they enter the car.

### **Mark Levinson Premium Surround Sound system**

Lexus's exclusive audio partner Mark Levinson has developed a 13-speaker system for the RZ that delivers high-quality sound reproduction comparable to a high-end audio package across all genres of music, creating a live ambience with purity, depth and faithful reproduction of the original sounds. Key to this is a Harman discrete amplifier that allows playback of high-resolution sound sources (96kHz/24-bit) that contain more information than a compact disc (44.1kHz.16-bit).

The speakers are optimally positioned around the cabin: 9cm Unity speakers left, right and centre on the instrument panel; eight by nine-inch woofers on the lower front doors; and 9 cm Unity speakers on the rear doors. Completing the array is a 22.4cm sub-woofer. This is installed in the back door, avoiding any loss of load space. Its construction includes a large neodymium magnetic circuit to achieve heavy bass sound reproduction.

The Mark Levinson system is fitted as standard to the Takumi grade models.

### **10-speaker audio system**

The standard audio package for the RZ is a premium 10-speaker system, tuned to deliver clear mid and high-range tones and rich, crisp low tones. As with the Mark Levinson Premium Surround System, the amplifier has the capacity for playback of high-resolution sound sources, greater than the information contained in CD files. A 20cm sub-woofer is housed in the back door.

## **Connectivity**

Three USB ports are provided on the centre console – one for multimedia connection and two suitable for device charging. Two further charging ports are provided on the rear console, together with an AC power outlet on Takumi grade.

## **WORLD-CLASS SAFETY PERFORMANCE**

- Latest generation Lexus Safety System+ with new and improved functions
- New Driver Monitor and Proactive Driving Assist
- Future software upgrades delivered seamlessly over-the-air

Lexus's aim was to equip the RZ with a world-class package of preventive safety features that can recognise and react to an even wider range of accident risk scenarios. The car benefits from the latest generation Lexus Safety System+, with new and improved functions that operate seamlessly in the context of a battery electric vehicle.

Advanced technologies are applied to detect more hazards, provide driver warnings and initiate steering, braking and acceleration assistance when required to help avoid a collision or mitigate the consequences if an impact does happen. They also reduce the burden on the driver, making the job of driving less tiring.

Making use of the car's data communications module (DCM), the safety systems can be updated over-the-air, with no need for the vehicle to be taken to a service centre.

These features combine with comprehensive passive safety provisions and the RZ's robust construction to provide comprehensive protection for everyone on board.

## **Pre-Collision System**

The radar and camera used by the RZ's Pre-Collision System (PCS) have a greater detection range and can recognise a wider range of hazards than previously. This includes the risk of a head-on collision with traffic coming from the left or right when making a turn at an intersection. The system's response time is faster and it is also now able to identify motorcycles, as well as cyclists and pedestrians.

Emergency Steering Assist helps keep the car stable and within its traffic lane when the driver has to avoid a parked car, pedestrian or other obstacle to the side of the road. The system is also available with Active Support, which works to avoid a collision by providing gentle braking and steering.

The PCS further provides Low Speed Acceleration Suppression, recognising sudden, unintended use of the throttle when driving at low speed.

### **Dynamic Radar Cruise Control**

The RZ's Dynamic Radar Cruise Control (DRCC) provides a wider range of inter-vehicle distance settings, so the driver has more freedom to tailor performance to their personal preference. Activating the system has been made easier with simple switch operation and the option of voice command control to set the cruising speed and distance from the preceding vehicle.

New functions include Curve Speed Reduction, ensuring an appropriate speed for smooth driving through bends, and Overtaking Prevention, which regulates the car's speed to avoid overtaking a slower vehicle on the wrong side on a multi-lane road. The driver can also easily reset the cruising speed to comply with changes in the speed limit detected by the Road Sign Assist system (RSA).

### **Lane Departure Alert and Lane Tracing Assist**

The Lane Departure Alert (LDA) has been improved so that it can now recognise more objects, including adjacent street furniture such as utility poles, kerbstones and guard rails. It can also recognise when the driver is steering to avoid a person or parked vehicle in the RZ's traffic lane.

The high-performance camera used by the Lane Tracing Assist (LTA) is better able to distinguish road markings; when these are obscured, for example in heavy traffic, the system will follow the path of the vehicle ahead. Expansion of the system's DNN (deep neural network) has enabled it to recognise 3D objects. This means it can adjust its performance to give appropriate lateral clearance from vehicles in adjacent lanes or roadworks, operating in way that feels natural to the driver.

### **Lane Change Assist**

Lane Change Assist can be used when the car's LTA is activated. When the driver signals to make a lane change, the system checks for safety using the PCS radar and camera, calculates the target trajectory and provides appropriate steering control. Once the lane change is complete, LTA returns to its normal operating status.

### **Driver Monitor**

The Driver Monitor is a new feature that uses a camera mounted above the steering wheel to keep constant check on the driver's condition. If it recognises that they have lost

concentration through being tired or unwell, it triggers visual and audible alerts. In a world-first, the system is linked to the car's active safety systems, so that should the driver fail to respond, the car can be brought smoothly to a controlled halt with the hazard lights activated (Emergency Driving Stop).

### **Proactive Driving Assist**

Proactive Driving Assist (PDA) includes Obstacle Anticipation Assist, Deceleration Assist and Steering Assist. The system operates at lower speeds, for example when driving around town. The PCS front camera scans the area in front of the car to check for hazards such as pedestrians about to cross or walking along the side of the road, parked cars and cyclists. If there is a collision risk, the system will provide braking and steering to avoid the obstacle, while keeping the car in its traffic lane.

### **Additional features**

The Lexus Safety System+ package for the RZ also provides Automatic High Beam or an Adaptive High-beam System (RZ Takumi) for automatic adjustment of the headlight beams to achieve optimum forward illumination without dazzling oncoming traffic. The RZ is the first Lexus to be fitted with AHS using a single bi-projector LED headlight.

Road Sign Assist (RSA) can recognise and display a wider range of highway warning and command signs. The car's speed limiter can be linked to the RSA, reducing powertrain output and applying braking if necessary to keep the car within the legal speed limit for a given road.

### **Passive safety**

The RZ has a full complement of SRS airbags, including a centre airbag between the front seats, helping protect driver and passenger from colliding with each other in the event of an impact. A dual-stage driver's airbag is integrated in the new-design One Motion Grip steering yoke as well as the conventional steering wheel.

The impact-absorbing quality of the car's frame has been enhanced with a new door impact beam and quarter lock pillar design. The beam helps ensure impact loads are shared by each of the car's pillars and rockers; the quarter lock pillar prevents crushing of the wheel house.

## **EASIER, SAFER DRIVING WITH ADVANCED ASSISTANCE FEATURES**

- Multiple systems for easy and precise vehicle manoeuvring
- e-Latch with Safe Exit Assist, helping prevent accidents caused by inadvertent door opening.

In addition to the provisions of Lexus Safety System+, the new RZ offers a wide range of features to support easy and safe use of the car – from automatic parking to blind spot monitoring and control for safe opening of the doors.

### **Rear Cross-Traffic Alert and Rear Camera Detection**

The driver's sightlines can be compromised when negotiating narrow and confined spaces, such as car parks. The RZ uses clearance sonars and cameras that can detect both static objects and vehicles or pedestrians crossing behind the car when moving at low speed. If a hazard is spotted, a buzzer sounds and an alert appears in the multi-information display, showing the vehicle position in relation to the hazard.

The Parking Support Brake will control drive and brake force control if there is a risk of contact with pedestrians, objects or approaching vehicles.

### **Lexus e-latch with Safe Exit Assist**

The RZ follows the all-new RX and NX in adopting the smooth and easy e-latch electronic door release system. This is linked to the car's Blind Spot Monitor to provide Safe Exit Assist which prevents doors from being opened in the path of cycles or vehicles approaching from the rear. Lexus estimates this safeguard can help prevent more than 95 per cent of the accidents caused by hazardous door opening. The system can be customised with a choice of three levels of sensitivity.

### **Panoramic View Monitor**

The Panoramic View Monitor uses the RZ's array of four cameras and 12 sensors to give the driver a 360-degree view of the car's immediate surroundings and the option of a composite, overhead view. Cameras in the door mirrors provide a side clearance view to help negotiate narrow lanes and spaces, and there is also an under-floor "see-through" view option, to check the driving surface beneath the car and the position of the wheels. A cornering view provides a diagonal image to help with turns in narrow roads and avoid contact with kerbs. A moving view shows the car as seen from diagonally above. A camera washer system keeps the monitor clear, activated when the rear screen washer is used.

## **Additional features**

To help protect against rear-end collisions, the hazard lights can be activated automatically to warn a following vehicle. Designed primarily to alert buses or trucks, the system operates at approaching speeds of 20 to 62mph (30 to 100km/h).

In the event of a rear-end collision, a secondary brake will operate automatically, to help prevent the RZ being propelled forwards into another vehicle.

Additionally, Drive Start Control recognises excessive pressure on the throttle when the shift selector is being used and suppresses acceleration.

## **MODEL RANGE AND SPECIFICATIONS**

The 2024 Lexus RZ – both the 450e and new 300e – offers customers more choice than ever before with the introduction of the new Urban grade as the entry point to the line-up. To help maximise the RZ's driving range capability, 18-inch wheels have been made optionally available on Premium and Premium Plus models.

The **Urban** grade standard specification includes:

18-inch alloy wheels

Single LED headlights with Automatic High Beam

Heated steering wheel

Lexus Link Pro multimedia system with 14-inch touchscreen

Apple CarPlay (wireless) and Android Auto (wired) smartphone integration

Access to Lexus Link connected services (via app)

Wireless smartphone charger

10-speaker audio system

4x USB-C charging ports

Dual-zone air conditioning

Keyless entry

Intelligent Clearance Sonar with front and rear sensors

Blind Spot Monitor and Rear Cross Traffic Alert

e-Latch with Safe Exit Assist

Reversing camera with washer

**Premium** grade features include: -

Heated, eight-way power-adjustable front seats with two-way lumbar support on driver's seat

Tahara synthetic leather seat upholstery and steering wheel trim

Power back door kick sensor

Rear privacy glass

Panoramic roof (fixed)

Option: 20-inch wheels

The **Premium Plus** specification introduces: -

20-inch wheels

Dual-zone air conditioning with nanoe-X air quality system

Front seat ventilation

Memory setting for driver's seat

Front seat radiant heaters

Head-up display

Panoramic View Monitor

Option: bi-tone paint finish; 18-inch alloy wheels

At the top of the range, the **Takumi** model features: -

Ultrasuede upholstery

Single-LED headlights with Adaptive High-beam System

64-colour interior ambient lighting

Gloss black wheel arches

13-speaker Mark Levinson Premium Surround Sound audio

Dimmable panoramic roof

LED front fog and cornering lights

Hands-free power back door

Front and rear performance dampers

Rear performance rod

Option: bi-tone paint finish

### **Up to 10 years/100,000 miles warranty**

In common with every new Lexus, the RZ 300e is eligible for Lexus warranty protection for up to 10 years or 100,000 miles (whichever comes first). This comprises an initial three-year manufacturer warranty, followed by up to a further seven years of service-activated warranty.

For the first three years of the car's life, owners can have it serviced at a place of their choice. When the new car warranty period expires, they can then benefit from an additional 12 months (or 10,000 miles) warranty when their vehicle has a qualifying service at an authorised Lexus workshop. The warranty is provided at no extra cost, up to a limit of 10 years/100,000 miles. Terms and conditions apply; full details are available at [www.lexus.co.uk](http://www.lexus.co.uk).

In addition, the RZ's battery warranty extends to 10 years or 620,000 miles (whichever comes first).

**LEXUS RZ TECHNICAL SPECIFICATIONS**

<b>POWERTRAIN</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
Type		AC synchronous electric generator	
Total power output (bhp/DIN hp/kW)		201/204/150	309/313/230
Front motor output (bhp/DIN hp/kW)		201/204/150	
Rear motor output (bhp/DIN hp/kW)		n/a	108/109/80
Max. front motor torque (Nm)		266	266
Max. rear motor torque (Nm)		n/a	168
Total system torque (Nm)		266	435
<b>BATTERY</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
Type		Lithium-ion	
Number of cells		96	
Rated voltage		355	
Capacity (kWh)		71.4	
<b>BATTERY CHARGING</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
AC Charger – Single-phase 7kW (32A, 220V)		10h	
AC Charger – Three-phase 11kW (16A, 230V)		6.5h	
DC Charger – Fast charge 150kW (400A)		30min	
AC connector (normal use)		Type 2	
DC connector (quick charge)		CCS2	
Charger output (kW)		11	
<b>TRANSMISSION</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
Type		Single speed	
Differential gear ratio (front/rear)		13.786/-	13.786/13.786
Driven wheels		Front Wheel Drive	All-wheel drive
<b>PERFORMANCE</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
Max. speed (mph)		99	
0-62mph acceleration (sec)		8.0	5.3
Energy consumption (miles/kWh)	18in wheels, min. weight	4.2	3.7
	20in wheels, max. weight	3.8	3.4
Driving range (miles, WLTP combined cycle)	18in wheels	295-297	272
	20in wheels	267-268	252
<b>SUSPENSION</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
Front		MacPherson strut	
Rear		Double wishbones, trailing arms	
<b>BRAKES</b>		<b>RZ 300e</b>	<b>RZ 450e</b>
Front		Ventilated discs	
Rear		Ventilated discs	
Parking brake		Electronic	
<b>STEERING</b>		<b>RZ 300e</b>	<b>RZ 450e</b>

Type	Electric-assisted rack and pinion	
Turns lock-to-lock	2.81	
Minimum turning radius – body (m)	5.6	
Minimum turning radius – tyre (m)	6.0	
<b>EXTERIOR DIMENSIONS</b>	<b>RZ 300e</b>	<b>RZ 450e</b>
Overall length (mm)	4,805	
Overall width (mm)	1,895	
Overall height (mm)	1,635	
Wheelbase (mm)	2,850	
Front track (mm)	1,610	
Rear track (mm)	1,620	
Front overhang (mm)	975	
Rear overhang (mm)	980	
Min. ground clearance (mm)	200	
Drag coefficient (Cd)	0.28	
<b>INTERIOR DIMENSIONS</b>	<b>RZ 300e</b>	<b>RZ 450e</b>
Interior length (mm)	1,845	
Interior width (mm)	1,520	
Interior height	1,200	
Load compartment volume – rear seats up (VDA l)	522	
Load compartment volume – rear seats down (VDA l)	1,451	
<b>WEIGHTS</b>	<b>RZ 300e</b>	<b>RZ 450e</b>
Kerb weight (kg)	1,995 – 2,040	2,055 – 2,115
Gross vehicle weight (kg)	2,520	2,110 – 2,245
Towing capacity – unbraked (kg)	750 (0 Takumi grade)	
Towing capacity – braked (kg)	750 (0 Takumi grade)	
<b>WHEELS &amp; TYRES</b>	<b>RZ 300e</b>	<b>RZ 450e</b>
Wheel and tyre sizes	18in: 235/60R18 front, 255/55R18 rear 20in: 235/50R20 front, 255/45R20 rear	

*These specifications are a guide for media only. Customers wishing to check details of a specific vehicle should contact their Lexus centre or visit [www.lexus.co.uk](http://www.lexus.co.uk).*

**LEXUS RZ 300e EQUIPMENT SPECIFICATIONS**

<b>SAFETY &amp; DRIVING ASSISTANCE</b>	<b>URBAN</b>	<b>PREMIUM</b>	<b>PREMIUM PLUS</b>	<b>TAKUMI</b>
Lexus Safety System+ including Lane Change Assist and Driver Monitor	✓	✓	✓	✓
Automatic High Beam	✓	✓	✓	✗
Adaptive High-beam system	✗	✗	✗	✓
Blind Spot Monitor	✓	✓	✓	✓
Rear Cross Traffic Alert	✓	✓	✓	✓
Front Cross Traffic Alert	✓	✓	✓	✓
Over-The-air safety system updates	✓	✓	✓	✓
SRS airbags (9)	✓	✓	✓	✓
Passenger airbag cut-off switch	✓	✓	✓	✓
Isofix rear child seat anchors (x2)	✓	✓	✓	✓
e-Latch with Safe Exit Assist	✓	✓	✓	✓
Front and rear performance dampers	✗	✗	✗	✓
Performance rod	✗	✗	✗	✓
ABS with electronic brakeforce distribution (EBD)	✓	✓	✓	✓
Electronically controlled braking system	✓	✓	✓	✓
Traction Control (TRC)	✓	✓	✓	✓
Vehicle Stability Control (VSC)	✓	✓	✓	✓
Hill Assist Control (HAC)	✓	✓	✓	✓
eCall	✓	✓	✓	✓
All-wheel drive	✓	✓	✓	✓
Tyre pressure warning system	✓	✓	✓	✓
<b>INSTRUMENTS &amp; CONTROLS</b>	<b>URBAN</b>	<b>PREMIUM</b>	<b>PREMIUM PLUS</b>	<b>TAKUMI</b>
Heated steering wheel	✓	✓	✓	✓
Reversing camera	✓	✓	✓	✓
Four selectable drive modes	✓	✓	✓	✓
Head-up display	✗	✗	✓	✓
Panoramic View Monitor	✗	✗	✓	✓
Electronic parking brake	✓	✓	✓	✓
<b>AUDIO, NAVIGATION &amp; INFORMATION</b>	<b>URBAN</b>	<b>PREMIUM</b>	<b>PREMIUM PLUS</b>	<b>TAKUMI</b>
Lexus Link Pro multimedia system with 14in touchscreen	✓	✓	✓	✓
10-speaker audio system with AM/FM/DAB radio	✓	✓	✓	✗
Mark Levinson Premium Surround Sound audio system	✗	✗	✗	✓
Bluetooth	✓	✓	✓	✓
Smartphone integration via Apple CarPlay (wireless) and Android Auto (wired)	✓	✓	✓	✓

USB-C charging ports (x2 front, x2 rear)	✓	✓	✓	✓
12v outlet in centre console	✓	✓	✓	✓
12v outlet in load compartment	✓	✓	✓	✓
Remote services connection via Lexus Link app	✓	✓	✓	✓
Wireless smartphone charger	✓	✓	✓	✓
<b>COMFORT &amp; CONVENIENCE</b>	<b>URBAN</b>	<b>PREMIUM PACK</b>	<b>PREMIUM PLUS PACK</b>	<b>TAKUMI</b>
Dual-zone climate control with Minus ion Generator	✓	✓	✓	✓
Dual-zone climate control with Nanoe-X air quality system	✗	✗	✓	✓
Front radiant heaters	✗	✗	✓	✓
Intelligent Clearance Sonars – front and rear	✓	✓	✓	✓
Rain-sensing wipers	✓	✓	✓	✓
Keyless entry	✓	✓	✓	✓
Push-button start	✓	✓	✓	✓
Auto-dimming rear-view mirror	✓	✓	✓	✓
Ambient interior lighting – 64 colours	✗	✗	✗	✓
<i>In-ei</i> LED cabin illumination	✓	✓	✓	✓
Automatic/remote parking	✗	✗	✗	✓
Lashing hooks in load compartment (x4)	✓	✓	✓	✓
Shopping bag hooks in load compartment (x2)	✓	✓	✓	✓
Carpet mats	✓	✓	✓	✓
2-way opening centre arm rest with storage	✓	✓	✓	✓
<b>SECURITY</b>	<b>URBAN</b>	<b>PREMIUM</b>	<b>PREMIUM PLUS</b>	<b>TAKUMI</b>
Thatcham Cat1 alarm and immobiliser	✓	✓	✓	✓
Customisable auto door locking	✓	✓	✓	✓
VIN glass etching	✓	✓	✓	✓
Motion sensor key	✓	✓	✓	✓
<b>SEATING, UPHOLSTERY &amp; TRIM</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Fabric Seat Upholstery	✓	✗	✗	✗
Tahara synthetic leather seat upholstery, trim and steering wheel finish	✓	✓	✓	✗
Ultrasuede seat upholstery and trim finish	✗	✗	✗	✓
8-way power-adjustable front seats with 2-way lumbar support	✗	✓	✓	✗
Driver's seat memory setting	✗	✗	✓	✓
Heated front seats	✓	✓	✓	✓
Ventilated front seats	✗	✗	✓	✓

60:40 split-folding rear seats	✓	✓	✓	✓
Adjustable rear seat back rests	✓	✓	✓	✓
<b>EXTERIOR</b>	<b>URBAN</b>	<b>PREMIUM</b>	<b>PREMIUM PLUS</b>	<b>TAKUMI</b>
LED headlights with Automatic High Beam	✓	✓	✓	✗
LED headlights with Adaptive High-beam System	✗	✗	✗	✓
LED front fog lights	✗	✗	✗	✓
LED cornering lights	✗	✗	✗	✓
Heated- auto-dimming, auto-folding door mirrors with reverse tilt function	✓	✓	✓	✓
Rear privacy glass	✓	✓	✓	✓
Panoramic roof	✓	✓	✓	
Dimmable panoramic roof	✗	✗	✗	✓
Black wheel arch mouldings	✓	✓	✗	✗
Gloss Black Wheel Arch	✗	✗	✗	✓
Bi-tone paint finish	✗	✗	Opt	Opt
18in alloy wheels	✓	✓	✗	✗
20in alloy wheels	✗	Opt	✓	✓
Tyre repair kit	✓	✓	✓	✓
Power back door	✓	✓	✓	✓
Hands-free power back door operation	✗	✗	✗	✓
Charging cables 3-pin Type 2 10A & Type 2 Mode 3 32A	✓	✓	✓	✓
Cable bag, gloves and towel	✓	✓	✓	✓

*These specifications are a guide for media only. Customers wishing to check details of a specific vehicle should contact their Lexus centre or visit [www.lexus.co.uk](http://www.lexus.co.uk).*

**ENDS**